

West University Place

CODE

[2018 IBC & 2018 IRC](#) **Date Started:** May, 25, 2018 **Date Ended** Present

Contact: Clay Chew 713-662-5830 Debbie Scarcella Contact: Clay Chew 713-662-5830
Debbie Scarcella 713-662-5893 713-668-4441
Contact email: cchew@westu.org
Web page: <https://westutx.gov/241/Building-Codes>

Notes: Harris County Non Windstorm; Requires foundation calculations, wind certification letter and construction reviews of the foundation, concrete placement and framing. See <https://westutx.gov/248/Applications-Forms-and-Registration> for foundation and framing inspection forms. The soil report must be performed by an A2LA accredited lab and be signed by a TBPE Civil Engineer. The foundation, framing and the truss plans must signed by a TBPE Structural Engineer. Floor is to be 2 feet above the BFE.

CODE

2012 IBC & 2012 IRC **Date Started:** January, 03, 2013 **Date Ended** May 24, 2018

Contact: Clay Chew 713-662-5830 Debbie Scarcella 713-662-5893, 713-668-4441
Contact email: cchew@westu.org

Notes: Harris County Non Windstorm; Requires foundation calculations, wind certification letter and construction reviews of the foundation, concrete placement and framing. See <http://www.westutx.gov/index.aspx?page=127> for forms. The soil report must be performed by an A2LA accredited lab and be signed by a TBPE Civil Engineer. The foundation, framing and the truss plans must signed by a TBPE Structural Engineer.

CODE

2006 IBC & 2006 IRC

Date Started: Unknown **Date Ended** January 02, 2013

Contact: John Brown 713-662-5830 Debbie Scarcella 713-662-5893

Contact email: jbrown@westu.org

Web

page: <http://westu.org/default.asp?menuid=10395&sub1menuid=10410&sub2menuid=10549&sub3menuid=10690>

Notes: Requires foundation calculations, wind certification letter and construction reviews of the foundation, concrete placement and framing. See <http://www.westutx.gov/index.aspx?page=127> for forms. The soil report must be performed by an A2LA accredited lab and be signed by a TBPE Civil Engineer. The foundation, framing and the truss plans must be signed by a TBPE Structural Engineer.